



ICCE 2015
LEIPZIG

EuCheMS 
European Chemical Sciences
Division of Chemistry and the Environment

.....

**15th EuCheMS International Conference
on Chemistry and the Environment**

20 - 24 September 2015 • Leipzig, Germany



Fachgruppe
**Umweltchemie &
Ökotoxikologie**



GESELLSCHAFT DEUTSCHER CHEMIKER



HELMHOLTZ
CENTRE FOR
ENVIRONMENTAL
RESEARCH - UFZ

UNIVERSITÄT LEIPZIG

TROPOS

Leibniz Institute for
Tropospheric Research

Committee

Conference Chairman

- Thorsten Reemtsma

Organizing Committee

- Walter Giger, Switzerland
- Hartmut Herrmann, Germany
- Gerhard Lammel, Germany/Czech Republic
- Santiago Vicente Luis Lafuente, Spain
- Thorsten Reemtsma, Germany
- Hans Richnow, Germany
- Lukas Wick, Germany

Scientific Committee

- Christine Achten, Germany
- Benny Chefetz, Israel
- Adrian Covaci, Belgium
- Willem de Lange, The Netherlands
- Dionysios D. Dionysiou, USA
- Adolf Eisentraeger, Germany
- Satoshi Endo, Japan
- Fritz Frimmel, Germany
- Phillipe Garrigues, France
- Kai-Uwe Goss, Germany
- Manfred Grasserbauer, Austria
- Ester Heath, Slovenia
- Sirpa Herve, Finland
- Thilo Hofmann, Austria
- Ivana Ivancev-Tumbas, Serbia
- Roland Kallenborn, Norway
- Thomas Knepper, Germany
- Antonio Marcomini, Italy
- Costas Michael, Cyprus
- Valery Petrosyan, Russia
- Aleksandar Sabljic, Croatia
- Andreas Schaeffer, Germany
- Panayotis Siskos, Greece
- Uri Zoller, Israel

Are Soil and Bioremediation in Focus of Sustainable Green Chemistry and Engineering?

MIROSLAV M. VRVIĆ¹, GORDANA GOJGIĆ-CVIJOVIĆ², VLADIMIR P. BEŠKOSKI¹, MILA ILIĆ², SRDJAN MILETIĆ², JELENA MILIĆ², JELENA AVDALOVIĆ²

¹ Faculty of Chemistry, University of Belgrade, 11158 Belgrade, Studentski trg 12, Serbia

² Department of Chemistry, Institute of Chemistry, Technology and Metallurgy, University of Belgrade, 11000 Belgrade, Njegoševa 12, Serbia

Usually the interest in, investigation of, development and application of principles of green chemistry and engineering are directed towards concrete chemical substances and processes and the same applies to fuels as one of key resources for the survival of civilization.

On the other hand, soil is the most dynamic four-stage (solid-liquid-gaseous-biological stage) ecosphere which is essential for the provision of food to the ever-growing population of our planet. At the same time, soil is exposed to all forms of devastation, including extensive and heavy pollution by a variety of dangerous substances, among which components of oil and oil derivatives are the most frequent pollutants. Also, spontaneous paedogenesis is the slowest process by far in comparison to the anthropogenic devastation of soil. The application of non-pathogenic microorganisms (plants to a smaller extent and an insignificant number of animals) for biological transformations and decontamination of the polluted soil and the disintegration of pollutants under the controlled conditions are bioremediation procedures that most often result in the complete mineralization, producing clean soil and soilfield material with consortia of microorganisms and humic substances that are fundamental for fertility.

Bioremediation is a (bio)technology which is compatible with all the principles of green chemistry and engineering and it is sustainable since it conserves and generates the soil as a "non-renewable" resource.

This paper comprises results of our multi-year work on microbiological disintegration of oil and oil derivatives through the application of selected and adapted consortia of zymogenous microorganisms, starting from the laboratory level to *in situ/ex situ* bioremediation procedures applied to thousands of tons. The initial levels of pollution were up to cc. 40 g/kg DM total petroleum hydrocarbons and after maximum 6 months the concentration was reduced to cc. 0.5 g/kg DM (99% efficacy) with the disintegration and persistent steranes and triterpanes (hopanes) and a segment of the NSO-fraction! The concentration of humic substances was reduced at the beginning to be increased in the end. The composition of the consortium of microorganisms changed, depending on the bioremediation stage, *i.e.* the stage of decomposition of pollutants, but the total number amounted to 10^8 - 10^{10} CFU/g all the time (BEŠKOSKI ET AL. 2011, MILETIĆ ET AL. 2014).

To conclude, our results as well as data obtained by other investigators confirm that attention should be paid to soil and bioremediation in the light of interpreting pedosphere and biological processes in it as sustainable ecological "raw material", harmonized with the principles of green chemistry and engineering particularly due to the absence of negative effects on the

ARE SOIL AND BIOREMEDIATION IN FOCUS OF SUSTAINABLE GREEN CHEMISTRY AND ENGINEERING?

Miroslav M. VRVIĆ¹, Gordana GOJGIĆ-CVIJOVIĆ², Vladimir P. BEŠKOSKI¹,
Mila ILIĆ², Srdjan MILETIĆ², Jelena MILIĆ², Jelena AVDALOVIĆ²

¹ Faculty of Chemistry, University of Belgrade, 11158 Belgrade, Studentski trg 12, Serbia. mmvchem@sezampro.rs

² Department of Chemistry, Institute of Chemistry, Technology and Metallurgy, University of Belgrade, 11000 Belgrade, Njegoševa 12, Serbia

INTRODUCTION


Usually the interest in, investigation of, development and application of principles of green chemistry and engineering are directed towards concrete chemical substances and processes and the same applies to fuels as one of key resources for the survival of civilization.

On the other hand, soil is the most dynamic four-stage (solid-liquid-gaseous-biological stage) ecosphere which is essential for the provision of food to the ever-growing population of our planet. At the same time, soil is exposed to all forms of devastation, including extensive and heavy pollution by a variety of dangerous substances, among which components of oil and oil derivatives are the most frequent pollutants. Also, spontaneous paedogenesis is the slowest process by far in comparison to the anthropogenic devastation of soil. The application of non-pathogenic microorganisms (plants to a smaller extent and an insignificant number of animals) for biological transformations and decontamination of the polluted soil and the disintegration of pollutants under the controlled conditions are bioremediation procedures that most often result in the complete mineralization, producing clean soil and soilfield material with consortia of microorganisms and humic substances that are fundamental for fertility.


Bioremediation is a (bio)technology which is compatible with all the principles of green chemistry and engineering and it is sustainable since it conserves and generates the soil as a “non-renewable” resource.

EXPERIMENTAL

This paper comprises results of our multi-year work on microbiological disintegration of oil and oil derivatives through the application of selected and adapted consortia of zymogenous microorganisms, starting from the laboratory level to *in situ/ex situ* bioremediation procedures applied to thousands of tons. The initial levels of pollution were up to cc. 40 g/kg DM total petroleum hydrocarbons and after maximum 6 months the concentration was reduced to cc. 0.5 g/kg DM (99% efficacy) with the disintegration and persistent steranes and triterpanes (hopanes) and a segment of the NSO-fraction! The concentration of humic substances was reduced at the beginning to be increased in the end. The composition of the consortium of microorganisms changed, depending on the bioremediation stage, *i.e.* the stage of decomposition of pollutants, but the total number amounted to 10⁸-10¹⁰ CFU/g all the time (BEŠKOSKI ET AL. 2011, MILETIĆ ET AL. 2014).



Reductions in TPH concentrations during bioremediation (bar is \pm standard deviation for five measurements).



Content of humic acids

CONCLUSIONS

To conclude, our results as well as data obtained by other investigators confirm that attention should be paid to soil and bioremediation in the light of interpreting pedosphere and biological processes in it as sustainable ecological “raw material”, harmonized with the principles of green chemistry and engineering particularly due to the absence of negative effects on the environment.

REFERENCES

1. Beškoski, V.P., Gojgić-Cvijović, G., Milić, J., Ilić, M., Miletić, S., Šolević, T., Vrvčić, M.M., Ex situ bioremediation of a soil contaminated by mazut (heavy residual fuel oil) – A field experiment, *Chemosphere*, **83** (2011) 34-40.
2. Miletić, S.B., Spasić, S.D., Avdalović, J., Beškoski, V., Ilić, M., Gojgić-Cvijović, G., Vrvčić, M.M., The effect of humic acids on zymogenous microbial consortia growth, *Clean-Soil, Air, Water*, **42** (2014) 1280-1283.